

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
PATENT TRANSMITTAL

Patent No.: 7,531,093
Issued: May 15, 2009
Name of Patentee: Fuchs et al.
Title of Invention: PROCESS FOR AEROBIC-THERMOPHILIC
STABILIZATION AND DISINFECTION OF
SLUDGE
Customer No.: 27,623
Attorney Docket No.: 175.8378USU

Mail Stop Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450


Dear Sir:

We are enclosing:

1. Request for Certificate of Correction of Patent;
2. PTO Form SB/44;
3. Transmittal Letter; and

Please charge any additional fees or credit any such fees, if necessary to Deposit Account No. 01-0467 in the name of Ohlandt, Greeley, Ruggiero & Perle. A duplicate copy of this sheet is attached.

Respectfully submitted,



Paul D. Greeley
Reg. No. 31,019
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.
One Landmark Square, 10th Floor
Stamford, CT 06901-2682
Tel. (203) 327-4500

Date: December 9, 2009

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 7,531,093
Issued: May 15, 2009
Name of Patentee: Fuchs et al.
Title of Invention: PROCESS FOR AEROBIC-THERMOPHILIC
STABILIZATION AND DISINFECTION OF SLUDGE
Customer No.: 27,623
Attorney Docket No.: 175.8378USU

Mail Stop Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

We hereby request that the above-identified patent be corrected as follows:

IN THE DESCRIPTION

In the abstract, change "500 °C" to "50 °C"

Change postal code of inventors Leonard Fuchs and Martin Fuchs from "56272" to "56727"

REMARKS

Entry of the indicated correction to the Patent referenced above is respectfully requested.


The Certificate of Correction corrects two clerical errors, one made by the USPTO and the other by the applicant. In the abstract, "500 °C" should have been printed as "50 °C" (USPTO error). The postal code for the inventors is "56727" and not "56272" (applicant error).

In view of the foregoing, it is requested that this request for correction be accepted, and the proper Certificate of Correction be issued to Patent No. 7,531,093.

The Commissioner is hereby authorized to charge any fees under 37 C.F.R. 1.16 and 1.17 which may be required with this communication, or credit any overpayment, to **Deposit Account No. 01-0467.**

Respectfully submitted,

December 9, 2009



Paul D. Greeley
Registration No. 31,019
Attorney for Applicants
Ohlandt, Greeley, Ruggiero & Perle, LLP
One Landmark Square, 10th Floor
Stamford, CT 06901-2682
Tel: (203) 327-4500
Fax: (203) 327-6401

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,531,093
APPLICATION NO.: 10/581,631
ISSUE DATE : May 12, 2009
INVENTOR(S) : Leonard Fuchs and Martin Fuchs

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the abstract, change "500 °C" to "50 °C"

Change postal code of the above-identified inventors from "56272" to "56727"

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Ohlandt, Greeley, Ruggiero and Perle, LLP
One Landmark Square, 10th Floor
Stamford, Connecticut 06901-2682

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.